

















# YARIS IS SHARP

Multi-information display uses a 4.2 inch TFT display to give a sense of advance technology. Meters are designed not only to appear advanced and modern but also to provide high visibility.

## DOOR OPEN & CLOSE ALERT



# **ECO WALLET RECORD**




# FUEL ECONOMY RECORD



## DRIVE INFO

| _1:23          | AVG.           | 44.4 km/L |  |  |
|----------------|----------------|-----------|--|--|
| D              | <b>⊕ TOTAL</b> | 44 h 44 m |  |  |
| ECO<br>MODE    | ( AVG.         | 444 km/h  |  |  |
| OUTSIDE<br>32℃ |                | 4444 km   |  |  |






# YARIS IS VERSATILE

Yaris transforms itself based on your driving preference. Activating the Sport mode increases the engine speed more quickly during acceleration. While Eco mode offers maximum fuel efficiency.


ECO MODE

**SPORT** 





AUTO AC WITH CLIMATE CONTROL













# 5 Speed Manual Transmission

Smooth shifting provides excellent driving performance and fuel efficiency.



7 Speed Continous Variable Transmission Ensures a high level of fuel efficiency and smooth,

powerful acceleration due to an integrated engine and CVT control system.












Yaris Traction Control aids in maintaining the drive power and stops the brakes from spinning. The Hill Start Control achieves responsive driving performance by limiting unnecessary upshifting while driving uphill and generating appropriate engine brake force for driving downhill.









### SPECIFICATIONS SHEET

|  |                        | 131 (U. W.)   | 13.000   | 1.3. ATV MT       | 1.3. Afterove              | SSLATUA VI.  | 15LADV FOR   |
|--|------------------------|---|--|-------------------|----------------------------|--|--|
| DIMENSIONS                               |                        |   |  |                   |                            |  |  |
| Esterior L s W s H                       | (med                   |   |  | A425 x 1          | 730 x 1475                 |  |  |
| Wheel Base                               | (mm)                   |   |  |                   | 550                        |  |  |
| Minimum Turning Redius (Tire)            | (0)                    |   |  |                   | 5.1                        |  |  |
| Laggage Compartment Capacity             | Lir                    |   |  |                   | 176                        |  |  |
| ENGINE SPECIFICATION                     |                        |   |  |                   |                            |  |  |
| Distancement                             | (10)                   |   | 41   | 29                |                            |  | 200  |
| Engine Code                              | 100                    |   | 100  |                   |                            |  | R-R  |
| Engino Type                              |                        |   | 1160   |                   | uru, In-Line:              |  | 64.516   |
| Ford Supply System                       |                        |   |  | Commented Made or | ort Fuel Injection (SFI)   |  |  |
| Value Train                              |                        |   |  |                   | of the (with Dust VVT-i)   |  |  |
| Meximum Dulgut                           | KWIHPyrpm              |   | 73 (97   |                   | I STILLE TAKEN POST 443-CT | 1600   | 6.976000   |
| Masimum Torque                           | Bosine Jopes           |   | 121  | P90000            |                            |  | 0.4900   |
| PERFORMANCE                              | Description .          |   | 16.9   | 4500              |                            | - 17   | erent .  |
| ENFURINGE                                | Anti-lock firming      |   |  |                   |                            |  |  |
| Broking System                           | System (ABS with EBC): |   |  |                   | *                          |  |  |
| brownid planera                          | Brake Assist (BA)      |   |  |                   |                            |  |  |
|  | Front                  |   |  | Total Control     | ted Discs                  |  |  |
| Broke Disc Type                          | Rest                   |   |  |                   | rum                        |  |  |
|  | PER                    | 100000000000000000000000000000000000000   | J- Speed CVT/Sport   |                   | T-Speed CVT/Sport          | T CONTROL WA   | T- Speed CVT/Spo   |
| Transmission                             |                        | 5 Speed Manual  | Security Shiftmetic  | 5 Spired Marryal  | Sequential Styleratic      | 5 Speed Manual   | General Chiltre  |
|  |                        | Transmission  | Seguetto Sestimore.  | Transmission      | System                     | Transmission   | System Series  |
| Seorts Mode                              |                        | aytam aytam   |  |                   |                            |  | 2  |
| Ero Meda                                 |                        |   |  |                   |                            |  |  |
|  | Fruit                  | MacPorner Straf   |  |                   |                            |  |  |
| Suspension                               | Fear.                  | Torsion flages  |  |                   |                            |  |  |
| Steering System                          |                        |   |  | Easter Press      | e Steering (EPS)           |  |  |
| Time Size                                |                        | 18540915  |  |                   |                            |  |  |
| Wheel Type                               |                        | Sheel Wheets W.   | Ath Full Wheel Caps  |                   |                            | en Albey Piens   |  |
| Fuel Sank                                | Dr                     |   |  |                   | OL.                        |  |  |
| EXTERIOR                                 |                        |   |  |                   |                            |  |  |
| Front Radiator Grelle                    |                        | -   | merial   | _                 | Participal Chi             | nine Plating   |  |
|  | Lamp Type              | - 19  | THE SECOND SECON | 4 35 444          | HALDGEN                    | mm rowey.  |  |
| Front Headlerque                         | Daytime Running Lamp   | -   |  |                   | MALLAUEN                   |  |  |
| Festi Fog Lamps                          | Departe Automorp Lang. |   | *  |                   |                            | 0  |  |
| Rear Lama                                |                        |   | *  | West 197          |                            |  |  |
| Colored Outside Door Handles             |                        | With LED Line Guide<br>Body Chlored   |  |                   |                            | Otromo (with smart switch)   |  |
| Colored Side View Mirrors with Torn Lamp |                        | Body Colored Overline (with ser   |  |                   |                            | in several sweezes   |  |
| Windshield                               |                        |   | Lamout   | of France         |                            | T tourseast f  | irien (Acoustic)   |
| Interesting Windshield Wipers            |                        |   | CATTORIO   |                   |                            | - Laminater s  | artern (Accessed)  |
| Antenna                                  |                        |   |  |                   |                            |  |  |
| Rear Chrome Garatsh                      |                        | Shart Pole  |  |                   |                            |  |  |
| INFOTAINMENT                             |                        |   |  |                   |                            | 0  |  |
| INTUINIMENT                              |                        |   |  |                   |                            | A Sales and a supplemental of the supplemental | A National Conference of the C |
| Car infoliainment System                 |                        | In-dash Touch Audio System with 3 Lines LCO (Septing Including, Julianced Boutseth (2) phones transfer-<br>mady, 5 phones seamless made observing), MPS, CD Playabia, Radio, USB and ACX Connectivity)<br>(POS/CCP Republic LEE, 2 way well-Miner States and Connectivity). |  |                   |                            |  |  |
| Rear Camera                              |                        |   |  |                   |                            | 1966.909.05  | 8  |
| Spenter                                  |                        |   | 2.59   |                   | 9                          | 110  | 1.5P   |

|   |                     | THUM     | 13. CU CVI  | ADLATIVAT                           | 13LATH CVT                            | 1.5. ATRIX MIT                  | ALL REPORTS                      |
|---|---------------------|----------|-------------|-------------------------------------|---------------------------------------|---------------------------------|----------------------------------|
| INTERIOR  |                     |          |             |                                     |                                       |                                 |                                  |
| Air Conditioner + Heater                        |                     |          |             | 1                                   |                                       | Auto AC vol                     | th Climate control               |
| Multi Internation Display                       |                     |          |             | 8                                   |                                       | 42'500                          | or TFT Display                   |
| Outside Temperature Display                     |                     |          |             |                                     |                                       |                                 |                                  |
| Speedocustur                                    |                     | An       | ling Meter  | Optitron Meter                      |                                       |                                 |                                  |
| Tachemeter                                      |                     |          |             |                                     | 8                                     |                                 |                                  |
| Economy Meter                                   |                     | 7.8      | ECO LAMP    |                                     | ECO LAWF                              | 12 12                           | ECO Larry with Zuro              |
| Pinh Slart System                               | 400                 |          |             |                                     |                                       |                                 | 4                                |
| Wireless Key                                    | Remote Truck Operar |          |             |                                     |                                       |                                 | not Key                          |
| Sheering Wheel                                  | Wheel Column        | -        |             |                                     | 3 Spoke<br>Tit                        |                                 |                                  |
| Steering Winel Switches                         |                     |          | (A)         |                                     | Bluetooth Switch                      |                                 | Bladboth Switch                  |
| Sout Malorial                                   |                     |          | Fabric      |                                     | 8th Stricts Design                    | Pwnsum Fabr                     | to with Stitch Design            |
| Rear Headrest                                   |                     |          |             | 3                                   | Separate                              |                                 |                                  |
| Illuminated Entry System                        |                     |          |             |                                     |                                       |                                 |                                  |
| Power Windows                                   |                     |          |             |                                     |                                       |                                 |                                  |
| Interior Culor Scharen                          |                     |          |             |                                     | Trany                                 |                                 |                                  |
| Door Trim Grownest                              |                     |          |             |                                     | Fabric                                |                                 |                                  |
| Gear Shift Laver                                |                     | Stordard | Gate Type   | Standard with Pane<br>Black Plating | Oate Type with Plans<br>Black Plating | Standard with Silver<br>Plating | Gate Type with Silver<br>Plating |
| Inside Door Handle                              |                     | Po       | mentation   | 5                                   | iver Paint                            |                                 | Zeone                            |
| Foot Rest                                       |                     |          |             |                                     | 1.00                                  |                                 |                                  |
| Floor Mat                                       |                     |          |             |                                     | (8)                                   |                                 |                                  |
| Central Door Lacking                            |                     |          |             |                                     | 18.                                   |                                 |                                  |
| Fruit Personal Lamp                             |                     |          |             |                                     | 1                                     |                                 |                                  |
| Room Lump                                       |                     |          |             |                                     | 1                                     |                                 |                                  |
| Sus Visor                                       |                     |          |             |                                     |                                       |                                 |                                  |
| Vanity Mirror                                   |                     |          |             | Drive                               | + Passenger                           |                                 |                                  |
| Center Cossole Box                              |                     |          |             |                                     |                                       |                                 |                                  |
| Fruit Power Dullel (12 V)                       |                     |          |             |                                     | 8                                     |                                 |                                  |
| Rear Pawer Outlets                              |                     |          |             |                                     | 4                                     |                                 |                                  |
| Digital Clock                                   |                     |          |             |                                     | 8.                                    |                                 |                                  |
| SAFETY  |                     |          |             |                                     |                                       |                                 |                                  |
| SPIS Airbag                                     |                     |          |             | Drive                               | + Patentyer                           |                                 |                                  |
| Key Reminder Warning                            |                     |          |             |                                     | 3                                     |                                 |                                  |
| HIST-Start Assist Cootrol                       |                     |          |             |                                     |                                       |                                 |                                  |
| Vehicle Statulity Control with Traction Control |                     |          |             |                                     | 9.                                    |                                 |                                  |
| First Auty Cut                                  |                     |          |             |                                     |                                       |                                 |                                  |
| Seat Bell                                       | Front               |          |             | Hirer + Passenger: 2 Point EL       | R with Pretensioner and Force         | Limiter                         |                                  |
|   | Rear                |          |             | 3 Passer                            | ger, 2 Point ELR                      |                                 |                                  |
| ISOFOX Child Seel Assbury                       |                     |          |             |                                     | 3                                     |                                 |                                  |
| Immobilizar System                              |                     | With     | Vmnobilani) |                                     |                                       | & (remobilizer)                 | 1                                |
| Light Reminder Warning                          |                     |          |             |                                     |                                       | - Min                           |                                  |
| High Mount Step Larry                           |                     |          |             |                                     | 8                                     | All All Street                  | 100                              |

n - Arothable , s - Not Arothable





# Satisfaction in Getting More than a Car

When you buy a Toyota from Indus Motor Company Limited, you're buying more than just a car. You're buying a promise that gives you all the assurance, trust, support, efficiency and convenience you need. In line with our "Customer First" belief, your satisfaction is our priority, It is this simple philosophy at Indus Motor Company Limited that has made Toyota a leading automobile brand across Pakistan.

Total peace of mind comes from 3 YEARS OR 100,000 km Mileage Warranty, high levels of Quality, Durability and Reliability (Q.D.R.) with an impact-absorbing structure and high integrity cabin that has attained the world's top level of safety to give you unparalleled protection. Whether it's maintenance or grooming, our Genuine Parts and state-of-the-art precision tools will also keep your car performing like it ought to be - a Toyota.

# We are Present Throughout the Nation

#### ABBOTTABAD


- 1. TOYOTA ABBOTT MOTORS PHONE (0992) 406 902 BAHAWALPUR
- D. G. KHAN
- ₹ 3. TOYOTA D. G. KHAN MOTORS UAN: (064) 111-222-737 D. I. KHAN
- 4. TOYOTA D. I. KHAN MOTORS PHONE: (0966) 716792-3 FAISALABAD
- F 6. TOYOTA LYALLPUR MOTORS UAN: (041) 111-000-856
- 7. TOYOTA JHELUM MOTORS UAN: 0544-275467
- HYDERABAD
- 🔻 8. TOYOTA HYDERABAD MOTORS UAN: (022) 111-555-121 🌹 42. TOYOTA ROYAL MOTORS UAN: (088) 111-111-185 7 9. TOYOTA POINT MOTORS UAN: (022) 111-000-876
- ₹ 10. TOYOTA CAPITAL MOTORS UAN: (051) 111-142-142 11. TOYOTA G. T. MOTORS PHONE: (051) 2227860-4
- ₹ 12. TOYOTA ISLAMABAD MOTORS UAN: (051) 111-000-037
- 7 13. TOYOTA CENTRAL MOTORS UAN: (021) 111-786-122 7 14. TOYOTA CLIFTON MOTORS UAN: (021) 111-800-777
- PHONE: (021) 35302501-6 ₹ 15. TOYOTA CREEK MOTORS PHONE: (021) 35092211-5
- ₹ 16. TOYOTA DEFENCE MOTORS UAN: (021) 111-836-836 17. TOYOTA EASTERN MOTORS UAN: (021) 111-836-111
- ₹ 18. TOYOTA HIGHWAY MOTORS UAN: (021) 111-009-000
- 19. TOYOTA SHAHRAH-E-FAISAL MOTORS PHONE: (021) 34600519-20
- # 20. TOYOTA SOCIETY MOTORS UAN: (021) 111-786-113
- 7 21. TOYOTA SOUTHERN MOTORS UAN: (021) 111-876-111 22. TOYOTA UNIVERSITY MOTORS UAN: (021) 111-886-111
- 7 23. TOYOTA WESTERN MOTORS UAN: (021) 111-800-786

- 7 24. TOYOTA AIRPORT MOTORS UAN: (042) 111-880-990
- # 25. TOYOTA CANTT MOTORS UAN: (042) 111-828-682 7 26. TOYOTA GARDEN MOTORS UAN: (042) 111-595-959
- 7 27. TOYOTA HN MOTORS UAN: (042) 111-000-095
- 7 28 TOYOTA JINNAH MOTORS UAN: (042) 111-119-696
- ₹ 29. TOYOTA RAVI MOTORS UAN: (042) 111-700-900
- ₹ 30. TOYOTA SAHARA MOTORS UAN: (042) 111-383-838
- ₹ 31. TOYOTA SHAHEEN MOTORS UAN: (042) 111-300-700
- ₹ 32. TOYOTA TOWNSHIP MOTORS UAN: (042) 111-393-939
- 7 33. TOYOTA WALTON MOTORS UAN: (042) 111-008-009

- \* 34 TOYOTA MARDAN MOTORS PHONE: (0937) 873001-3 MIRPUR (AJK)
- 2. TOYOTA BAHAWALPUR MOTORS PHONE: (062) 2889941 **T** 35. TOYOTA AZAD MOTORS PHONE: (05827) 432803
  - 36. TOYOTA CITY MOTORS UAN: (061) 111-111-342
  - 7 37. TOYOTA MULTAN MOTORS UAN: (061) 111-111-343
  - ₹ 38. TOYOTA FRONTIER MOTORS UAN: (091) 111-235-236
  - 7 40. TOYOTA ZARGHOON MOTORS PHONE: (081) 2450444 ¥ 41. TOYOTA QUETTA MOTORS PHONE: (081) 2301805
  - RAHIM YAR KHAN

  - # 43 TOYOTA RAWAL MOTORS PHONE: 051-4917200-05 SARGODHA
  - ¥ 44. TOYOTA SARGODHA MOTORS UAN: (048) 111-222-456
  - # 45 TOYOTA SIALKOT CITY MOTORS PHONE: (052) 3308131-4
  - 46. TOYOTA SAHIWAL MOTORS PHONE: (040)-4502345-6

























### **CONTACT INFORMATION**

INDUS MOTOR COMPANY LIMITED
PLOT NO. N.W.Z/1/P-1, PORT QASIM AUTHORITY
KARACHI, PAKISTAN.
PHONE: +92-21-34721100
UAN: +92-111-86-96-82 (+92-111-TOYOTA)
FOR MORE INFORMATION SMS "YARIS" TO 8398

#### **CUSTOMER ASSISTANCE CENTRE**

TOLL FREE: 0800-11123
EMAIL: CUSTOMER.RELATIONS@TOYOTA-INDUS.COM

WWW.TOYOTA-INDUS.COM
TOYOTAPAKISTANOFFICIAL | @@TOYOTAPAK